KCNMA1 Channelopathy International Advocacy Foundation (KCIAF.org)

Instructions

Thank you for taking the time to enroll with the CoRDS Registry. This module will ask you questions specific to your diagnosis. The questions below were developed in partnership with the KCNMA1 Channelopathy International Advocacy Foundation (KCIAF). Please note, this module:

- Takes approximately 30-45 minutes to complete
- Will refer to the person with the diagnosis as "the participant"
- Survey responses can be updated at any time by logging in to the CoRDS online portal or by contacting CoRDS personnel

If you have any questions while completing this form, please contact CoRDS at (877) 658-9192 during business hours, 8:30am-5:00pm (CST) Monday through Friday. If you need assistance after business hours, please leave a message or email cords@sanfordhealth.org.

| Permissions & Data Sharing | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|
| I give permission to CoRDS to provide my information that n Advocacy Group (PAG) for non-research purposes. | may or may not be identifiable to the following Patient | | | | | | | | |
| ☐ KCNMA1 Channelopathy International Advocacy Foundation | on I do not give my permission | | | | | | | | |
| | | | | | | | | | |
| Diagnosis/Assessment | | | | | | | | | |
| 1. Has the participant ever had genetic testing | | | | | | | | | |
| Yes No − Genetic testing was offered but the participant has not been tested due to costs No − Genetic testing was offered but the participant/guardian declined No − Genetic testing was offered but the participant has not done it yet for other reasons No − The healthcare provider has not talked about genetic testing for the participant No − The healthcare provider said that genetic testing is not required No − Other Unknown | | | | | | | | | |
| If "other", please specify: | | | | | | | | | |
| 2. Which types of DNA (molecular) genetic tests have be | een performed? (Select all that apply) | | | | | | | | |
| □ Epilepsy gene panel □ Paroxysmal dyskinesia or movement disorder gene panel □ Whole genome sequencing (WGS) □ Whole exome sequencing (WES) □ Mitochondrial analysis | □ Exon/gene deletion/duplication panel (aka microarray) □ Other □ Unknown □ None | | | | | | | | |
| If "other", please specify: | | | | | | | | | |
| 3. Please select the genetic defect that applies to the pa | articipant (Select all that apply) | | | | | | | | |
| ☐ KCNMA1 Mutation(s) ☐ Other Genetic Mutation(| (s) | | | | | | | | |

| If KCNMA1 mutation was selected, please write out the complete specific mutation name(s) from the genetics report. For example, it may look something like: | | | | | | | | | | | |
|--|---|-----------------------|----------------------|-----------------------|----------|-----------------|----------------------|-----------|---------------|--|--|
| Example 1 NM_001014797.2 Example 2 NM001014797.2 c | - | = | | | - | - | Ser | | | | |
| Enter here: | | | | | | | | | | | |
| | Is the mutation listed as heterozygous or homozygous? Heterozygous Homozygous Unknown | | | | | | | | | | |
| If "Other Genetic Mutation(s)" | | | - | ion 3, p | lease ir | dicate the nam | ne of the mut | tation(s) | , writing out | | |
| the mutation description as in t | he exa | mples a | bove: | | | | | | | | |
| Enter here: | Enter here: | | | | | | | | | | |
| Is the mutation listed as hetero | zygous | or hom | ozygou | ıs? □ l | Heteroz | ygous 🗆 Hoi | mozygous | □ Unkn | own | | |
| 4. Is the participant's gene | etic mu | tation i | nherite | d from | a parer | t, or considere | d " <i>de novo</i> " | | | | |
| □ De novo/sporadic (meaning, both birth parents had genetic testing and neither have the participants genetic problem) □ Inherited from Father □ Inherited from Mother □ Inherited from both birth parents □ Unsure (one or both parents did not have genetic testing performed) | | | | | | | | | | | |
| · | | | | | • | <u> </u> | n request? | | | | |
| 5. Would the participant be able to provide a copy of the genetic report upon request? | | | | | | | | | | | |
| ☐ Yes ☐ No ☐ Unsure | | | | | | | | | | | |
| 6. Select whether the participant had any of the following tests performed. Enter the results and age at the time the test was performed. Select all that apply. If the same type of test has been performed several times (for example, if there have been multiple EEGs) please select the MOST RECENT results and age at which the test was performed." | | | | | | | | | | | |
| Neurological Test | Had test, normal results | Had test, abnormal | Had test, results | Test not performed | Unknown | | Age at time | of test | | | |
| | | | | | | □ <1 (yr) | □ 1-2 (yrs) | | 3-5 (yrs) | | |
| Computed Tomography (CT or CAT scan) of the brain and/or spinal cord | | | | | | □ 6-10 (yrs) | □ 11-17 (y | rs) 🗆 | 18+ | | |
| | | | | | | □ <1 (yr) | □ 1-2 (yrs) |) 🗆 | 3-5 (yrs) | | |
| Magnetic Resonance Imaging (MRI) of the brain and/or spinal cord | | | | | | □ 6-10 (yrs) | □ 11-17 (y | /rs) □ | l 18+ | | |
| | | | | | | □ <1 (yr) | □ 1-2 (yrs) | | 3-5 (yrs) | | |
| Electroencephalogram (EEG) | | | | | | □ 6-10 (yrs) | □ 11-17 (y | rs) 🗆 | 18+ | | |

| Electromyogram (EMG) | | | □ <1 (yr) □ 6-10 (yrs) | □ 1-2 (yrs) □ 11-17 (yrs) | □ 3-5 (yrs) □ 18+ |
|---|--|--|------------------------|---------------------------|-------------------|
| Functional Magnetic Resonance Imaging (fMRI) | | | □ <1 (yr) □ 6-10 (yrs) | □ 1-2 (yrs) □ 11-17 (yrs) | □ 3-5 (yrs) □ 18+ |
| Head Ultrasound | | | □ <1 (yr) □ 6-10 (yrs) | □ 1-2 (yrs) □ 11-17 (yrs) | □ 3-5 (yrs) □ 18+ |
| Nerve Conduction Studies (NCS) | | | □ <1 (yr) □ 6-10 (yrs) | □ 1-2 (yrs) □ 11-17 (yrs) | □ 3-5 (yrs) □ 18+ |
| Magnetoencephalography (MEG) | | | □ <1 (yr) □ 6-10 (yrs) | □ 1-2 (yrs) □ 11-17 (yrs) | □ 3-5 (yrs) □ 18+ |
| Muscle Biopsy | | | □ <1 (yr) □ 6-10 (yrs) | □ 1-2 (yrs) □ 11-17 (yrs) | □ 3-5 (yrs) □ 18+ |
| Positron Emission Tomography (PET) | | | □ <1 (yr) □ 6-10 (yrs) | □ 1-2 (yrs) □ 11-17 (yrs) | □ 3-5 (yrs) □ 18+ |
| Spinal Tap / Lumbar Puncture | | | □ <1 (yr) □ 6-10 (yrs) | □ 1-2 (yrs) □ 11-17 (yrs) | □ 3-5 (yrs) □ 18+ |

| | | | | | | | □ <1 (yr) | □ 1-2 (yrs) | □ 3-5 (yrs) | | |
|--|----------------|----------|-----------|----------|---------|----------|---|---------------------------------|-------------|--|--|
| Echocardiogram (ultrasound of the | heart) | | | | | | □ 6-10 (yrs) | □ 11-17 (yrs) | □ 18+ | | |
| (| e heart) | | | | | | | | | | |
| | | | | | | | □ <1 (yr) | □ 1-2 (yrs) | □ 3-5 (yrs) | | |
| Electrocardiogram (ECG or EKG) | | | | | | | □ 6-10 (yrs) | □ 11-17 (yrs) | □ 18+ | | |
| (200 or 2mo) | | | | | | | | | | | |
| Comments (descri | e any abnor | mal res | ults if p | ossible | e): | | | | | | |
| 7. Would the participant be able to provide a copy of the above test results upon request? | | | | | | | | | | | |
| □ Yes | | | □ N | 0 | | | | Unsure | | | |
| 8. Which spe | cialist(s) has | the par | ticipan | t seen? | (Select | all that | apply) | | | | |
| □ Neurologist □ Geneticist □ Primary Care Pediatrician □ Psychologist/Psychiatrist □ Orthopedic (bone/joint/muscle doctor) □ Cardiologist (heart doctor) □ Gastroenterologist (stomach/gut doctor) | | | | | | | □ Ophthalmologist □ Otolaryngologist (ENT) □ Pulmonologist (lung doctor) □ Nephrologist (kidney doctor) □ Physiatrist (aka physical medicine and rehabilitation doctor) | | | | |
| ii other , picase s | pcony. | | | | | | | | | | |
| | | | | | | | | | | | |
| Demographics | | | | | | | | | | | |
| | | e parti | cipant? | | | | | | | | |
| inches | . , | | | | | | centimeters | s (cm) | | | |
| | | ne part | icipant | ? | | | | | | | |
| • | | | | | | | kilograms (| kg) | | | |
| | - | 's most | recent | | | | | | | | |
| inches | | | _ | | | ters (cm |) | Unknown | | | |
| 12. What is the | e participant | 's curre | nt livin | g situat | | | i imala | iala linasta a la cont | | | |
| ☐ Dependent wit | ch parent(s) o | r relati | ve(s) | | | | ı-ındependent), relative(s), oı | with limited assister friend(s) | stance from | | |
| ☐ Independent (| alone) | | | | | □ Inde | pendent (with | housemate) | | | |
| Comments: | | | | | | | | | | | |

CoRDS Questionnaire vB2.0

| | 13. What is the current or high | nest level of education | that the participant | completed? | | | | | | | |
|--|--|--------------------------|---------------------------------------|---|------------------|--|--|--|--|--|--|
| | No schooling completed | ☐ Elementary School | ol | ☐ Middle School | | | | | | | |
| | High School | ☐ College/Universit | у | □ Unknown | | | | | | | |
| | | | | | | | | | | | |
| Bir | th History (Please provid | le information abo | out the birth of | the participant ir | this section) | | | | | | |
| | 14. What was the participant's the time of the participant | | tational age refers to | o how far along the p | regnancy was at | | | | | | |
| _ | weeks | | □ Unknown | | | | | | | | |
| | 15. How was the participant d | elivered at birth (vagin | al or caesarian secti | on)? | | | | | | | |
| | Vaginal | | ☐ Caesarian | | | | | | | | |
| 16. If a C-section was performed, was it due to any of the following reasons? (Select all that apply) | | | | | | | | | | | |
| □ Planned C-section □ Baby presented breech or transverse or upside down □ Cephalopelvic disproportion (meaning the size of the baby's head was too large for the mother's pelvis) □ Concerns about the mother's ability to deliver vaginally □ Emergency (fetal/baby distress or problem) | | | ☐ Failure to prog the birth canal) | naternal distress or pr gress (the baby was no n the umbilical cord (k he baby, other) | ot coming down | | | | | | |
| If " | If "other", please specify: | | | | | | | | | | |
| | 17. What was the participant's | s birth weight? | | | | | | | | | |
| | (lbs.) ounces | | (kg) | □ Unknown | | | | | | | |
| | 18. What was the participant's | s birth length? | | | | | | | | | |
| | (in) | (cm) | | □ Unknown | | | | | | | |
| | 19. What was the participant's centimeter) | s head circumference a | t birth? (Please rour | nd to the nearest half | inch or | | | | | | |
| | (in) | (cm) | | □ Unknown | | | | | | | |
| | 20. How many days did the pa the participant's birth? | rticipant spend in the | neonatal intensive c | are unit (NICU; not th | e nursery) after | | | | | | |
| | (months)(days) | ☐ Did not sta | y in the NICU | □ Unknown | | | | | | | |
| | | | | | | | | | | | |
| De | velopment | | | | | | | | | | |
| | 21. At what age were the followif the participant was 24 m | ~ | | = | | | | | | | |
| | Milestone | | Age | Has not yet reached | Unknown | | | | | | |

| Social smile (smiled at other faces) | (years) OR | (months) | | |
|--|-------------------|----------|---------------------|---------|
| Single syllable utterances (i.e. ma) | (years) OR | (months) | | |
| First verbal word (i.e. go) | (years) OR | (months) | | |
| First two-word verbal sentence (i.e. car go) | (years) OR | (months) | | |
| Recognizes written letters/numbers | (years) OR | (months) | | |
| Phonics-style reading (sounds out words) | (years) OR | (months) | | |
| Read whole words | (years) OR | (months) | | |
| Write/type using a keyboard | (years) OR | (months) | | |
| 22. At what age were the following participant was 24 months or ye | | | | |
| Milestone | Age | | Has not yet reached | Unknown |
| Able to undress without assistance | (years) OR | (months) | | |

| Able to dress without assistance | (years) OR | (months) | | | | | | | | | |
|---|---------------------|-----------------------|---------------------|---------|--|--|--|--|--|--|--|
| Toilet-trained (during the day) | (years) OR | (months) | | | | | | | | | |
| Toilet-trained (during the night) | (years) OR | (months) | | | | | | | | | |
| Able to drink independently | · | (months) | | | | | | | | | |
| 23. At what age were the following motor milestones achieved? (Please answer in terms of "months" if the participant was 24 months or younger. Please answer in "years" if the participant was 2 or older). | | | | | | | | | | | |
| Milestone | ounger. Flease answ | wer iii years ii tile | Has not yet reached | Unknown | | | | | | | |
| Hold head up on his/her own | (years) OR | (months) | | | | | | | | | |
| Roll over back to stomach | (years) OR | (months) | | | | | | | | | |
| Sit when placed | (years) OR | (months) | | | | | | | | | |
| Crawl on hands and knees | (years) OR | (months) | | | | | | | | | |
| Walk unassisted | (years) OR | (months) | | | | | | | | | |

| Climb stairs standing up without help | (years) OR (months) | | | | | | | | | |
|---------------------------------------|--|-----------|---------------------------|--|--|--|--|--|--|--|
| Descend stairs without help | (years) OR (months) | | | | | | | | | |
| Jump with both feet | (years) OR (months) | | | | | | | | | |
| Pedal a tricycle | (years) OR (months) | | | | | | | | | |
| | | | | | | | | | | |
| Puberty | | | | | | | | | | |
| For FEMALES | | | | | | | | | | |
| 24. How old was the participant w | 24. How old was the participant when she got her first menstrual period? | | | | | | | | | |
| (yrs) | ☐ Has not occurred yet | ☐ Unknown | | | | | | | | |
| For MALES | | | | | | | | | | |
| 25. How old was the participant w | hen he first developed pubic hair? | | | | | | | | | |
| (yrs) | ☐ Has not occurred yet | ☐ Unknown | | | | | | | | |
| | | | | | | | | | | |
| Symptoms | | | | | | | | | | |
| 26. Has the participant ever experi | enced epileptic seizures? | | | | | | | | | |
| □ Yes | □ No | | □ Unknown | | | | | | | |
| , , | eptic seizures start? (Please answer in t ase answer in "years" if the participan | | | | | | | | | |
| (years) OR | | | | | | | | | | |
| | the following seizure diagnosis was give has ever experienced? (Select all that a | | scribes the seizures that | | | | | | | |

| | Absence seizure/staring spells (petit mal seizures) | | | | | | | | | | |
|------|--|--------------|--|---------------------------------------|--|-------------------------------------|--|--|--|---------|--|
| | Myoclonic seizure | | | , | | | | | | | |
| | Generalized tonic-cloni | c seizure (G | TCS or grand mal seizur | es) | | | | | | | |
| | Atonic seizure | | | | | | | | | | |
| | Infantile spasms | | | | | | | | | | |
| | Other Unknown | | | | | | | | | | |
| ı£ " | other", please specify: | | | | | | | | | | |
| " | other , please specify. | | | | | | | | | | |
| | 29. Which of the follow seizures? | ving best de | scribes how often the | particip | ant curr | ently e | kperience: | s or experi | enced th | eir | |
| | No seizures in > 6 mont | ths | ☐ No seizures in the | last 6 n | nonths | | | ☐ 1 to 3 seizures per month | | | |
| | 4 to 24 seizures per mo | onth | ☐ 25 to 100 seizure | s per mo | onth | | | □ > 100 month | seizures _l | per | |
| | at least one seizure per | day | □ Other | | | | | □ Unkno | wn | | |
| If " | other", please specify: | | | | | | | | | | |
| | | | | | | | | | | | |
| | 30. If the participant is terms of "months" was 2 or older). | _ | experiencing seizures, a cipant was 24 months o | | _ | | - | - | | | |
| | (years) Ol | _ (months) | | □ Un | ıknown | | | | | | |
| | 31. Which of the follow | ving medica | tions is the participant | current | ly takin | g, or ha | s ever tak | en, for ep | ileptic | | |
| | | | only, and not rescue o s 24 months or younge | | | | - | | | | |
| | Medication | _ | e time the medication was started | Currently taking, helps with symptoms | Currently taking, not sure if it helps | Tried in the past, but did not work | Tried in the past, had side effects so was stopped | Tried in the past, unsure why it was stopped | Tried in the past, made symptoms worse | Unknown | |
| | Phenobarbital | (yea | rs) OR (months) | | | | | | | | |
| | Phenytoin / Dilantin | (yea | rs) OR (months) | | | | | | | | |

| Valproic Acid / Depakote / Depakene | (years) OR (months) | | | | |
|--|----------------------------|--|--|--|--|
| Levetiracetam / Keppra | (years) OR (months) | | | | |
| Lamotrigine / Lamictal | (years) OR (months) | | | | |
| Carbamazepine / Tegretol | (years) OR (months) | | | | |
| Oxcarbazepine / Trileptal | (years) OR (months) | | | | |
| Clobazam / Onfi | (years) OR (months) | | | | |
| Zonisamide / Zonegran | (years) OR (months) | | | | |
| Ethosuximide / Zarontin | (years) OR (months) | | | | |
| Topiramate / Topamax | (years) OR (months) | | | | |
| Clonazepam / Klonapin | (years) OR (months) | | | | |

| If not listed above (please write-in the name below) | | | | | | | | | | |
|---|---|--|---------------------|-----------|-------------|-----------|-----------|-----------|------|--|
| | (years) OR (mo | onths) | | | | | | | | |
| | (years) OR (mo | onths) | | | | | | | | |
| | (years) OR (mo | onths) | | | | | | | | |
| Comments: | | | | | | | | | | |
| 32. Has the participant ever experienced episodes of abnormal movements of muscle function? | | | | | | | | | | |
| ☐ Yes | _ | | | | | | | | | |
| • | did the movement problems | | - | | | | | e partici | pant | |
| was 24 months or y | younger. Please answer in "ye | ears" if | f the pa | irticipan | it was 2 | or older) | • | | | |
| (years) OI | R (months) | | | □ Un | known | | | | | |
| | ving best describes the abnor ever experienced? (Select all | | | noveme | nts or c | other sym | otoms the | participa | nt | |
| Freezes or falls while go Freezes or falls (unsure depend) Abnormal eye moveme Abnormal mouth move "Drop Attacks" Muscles too loose (in go Muscles too tight (in ge | | Droolin Muscle Tremor Hyperk Spasms Other | weakne inetic (e | e.g. ovei | ractive) bo | ody moven | nents | | | |
| | | | | | | | | | | |

CoRDS Questionnaire vB2.0

| | 35. Which of the follow | ving, if any, | has the parti | cipant eve | r receiv | ed as a | diagnos | sis by a me | edical prof | essional? | • |
|------|---|---------------|----------------|-----------------|--|---------------------------------------|------------------------------------|---|--|-----------------------------------|---------|
| | Spasticity | | | | | | | | | | |
| | Dystonia | | | | | | | | | | |
| | Hypotonia | | | | | | | | | | |
| | Myoclonus | | | | | | | | | | |
| | Chorea/choreoathetosi | is | | | | | | | | | |
| | Dyskinesias | | | | | | | | | | |
| | None of the above | | | | | | | | | | |
| | Unsure | | | | | | | | | | |
| | 36. Which of the following best describes how often the participant currently experiences or experienced their movement attacks? | | | | | | | | | | |
| | None in > 6 months | | □ None in | the last 6 | months | 5 | |] | ☐ 1 to 3 per month | | |
| | 4 to 24 per month | | □ 25 to 10 | 00 per mon | th | | | 1 | □ 100-1 | 50 per mo | onth |
| | More than 5 per day on | average | □ Other | | | | | | □ Unkno | wn | |
| If " | other", please specify: | | | | | | | | | | |
| | | | | | | | | | | | |
| | 37. If the participant is no longer experiencing movement attacks, at what age did they stop? (Please answer in terms of "months" if the participant was 24 months or younger. Please answer in "years" if the participant was 2 or older). | | | | | | | | | | |
| | | | | | | | | | | | |
| | (years) OR | | (months) | | | □ U | nknown | l | | | |
| | 38. Which of the follow | ving medica | tions is the p | articipant | current | ly takinį | g or has | ever take | n for <u>mov</u> | ement | |
| | attacks? (Please an | | | ıs" if the pa | rticipa | nt is 24 | months | or young | er. Please | answer i | n |
| | "years" if the partic | cipant is 2 o | r older). | | | | | | | | |
| | | | | | Currently taking, helps with symptoms | ıg, not | st, but | past, had so was | Tried in the past, unsure why it was stopped | st, made 'se | u/ |
| | Medication | _ | e time the me | edication | Currently taking with symptoms | akir Ips | Tried in the past, did not work | e pa s so | e pa y it | e pa woı | Unknown |
| | ····cuicuiicii | | was started | | :ly t mpl | :ly t t he | the | the ects | the why d | the | Jnk |
| | | | | | ent sy | ent ifi | d in not | d in eff | d in ure ope | d in pto | |
| | | | | | Curi | Currently taking, sure if it helps | Tried in the p did not work | Tried in the side effects stopped | Tried in the past, unsure why it wa stopped | Tried in the past, symptoms worse | |
| | | | | | | | | | | | |
| Δα | etazolamide / Diamox | 6.00 | \ OD | (ma a m t la a) | | | | | | | |
| , | etazoiaimae y Biamox | (yea | rs) OR | _ (months) | | | | | | | |
| | | | | | | | | | | | |
| 1. | amotrigino / Lamistal | (vea | rs) OR | (months) | | | | | | | |
| Lč | amotrigine / Lamictal | (year | , - | _ (o) | | | | | | | Ш |
| | | | | | | | | | | | |

| Carbamazepine / Tegretol | (years) OR (mo | nths) | | | | | | | |
|--|-----------------------|-------|--|--|---|---------|----|--|--|
| Clonazepam / Klonapin | (years) OR (mo | nths) | | | | | | | |
| If not listed above (please write-in the name below) | | | | | | | | | |
| | (years) OR (mo | nths) | | | | | | | |
| | (years) OR (mo | nths) | | | | | | | |
| | (years) OR (mo | nths) | | | | | | | |
| Comments: | | | | | | | | | |
| 39. Does the participant have any of the following problems with heart rate or blood pressure? | | | | | | | | | |
| □ sudden unexplained increases in heart rate □ sudden unexplained decreases in heart rate □ heart rate is too high, most of the time (for example, does not come and go but is usually high every day) □ heart rate is too low, most of the time □ none of the above (heart rate is typically ok) Comments: | | | □ sudden unexplained increases in blood pressure □ sudden unexplained decreases in blood pressure □ blood pressure is too high, most of the time (for example, does not come and go but is usually high every day □ blood pressure is too low, most of the time □ none of the above (blood pressure is typically ok) | | | | | | |
| | | | | | | | | | |
| 40. What was the participant's last recorded heart and blood pressure? | | | | | | | | | |
| Heart Rate (BPM) | / | | (mmHg) | |] | □ Unkno | wn | | |
| 41. Does the participant have any of the following skin conditions? (Select all that apply) | | | | | | | | | |

| | episodes of turning blue or "mottling" of the skin | | | | | | |
|---|---|--|--|--|--|--|--|
| | episodes of redness or flushing | | | | | | |
| | sudden increases in sweating | | | | | | |
| | too much sweating, all the time | | | | | | |
| | too little sweating, or inability to sweat | | | | | | |
| | none of the above | | | | | | |
| | other skin conditions | | | | | | |
| If "c | other", please specify: | | | | | | |
| | | | | | | | |
| 42. Which of the following "neuropsychiatric" or 'neurocognitive' conditions does the participant have or has ever been diagnosed with had? (Select all that apply) | | | | | | | |
| | Depression | ☐ Crying for no reason (even though he/she is not sad) | | | | | |
| | Anxiety or anxiety disorder | ☐ Laughing for no reason (even when he/she is not | | | | | |
| | Autism | happy or responding to something funny) | | | | | |
| | ADD / ADHD | ☐ Failure to thrive | | | | | |
| | Learning or intellectual disability | □ Other | | | | | |
| | Aggressive outbursts | □ Unsure | | | | | |
| If "c | If "other", please specify: | | | | | | |
| 43. Does the participant have or has ever had any other symptoms described below? (Select all that apply) | | | | | | | |
| | Vision or eyesight problems | | | | | | |
| | Hearing problems | | | | | | |
| | Speech delay | | | | | | |
| | Sleep disturbances | | | | | | |
| | Bladder dysfunction (infections, incontinence, etc.) | | | | | | |
| | Gastrointestinal abnormalities (for example vomiting, diarrhea, constipation, fecal incontinence, etc.) | | | | | | |
| | Breathing difficulties | | | | | | |
| | Other | | | | | | |
| | Unsure | | | | | | |
| | None of the above | | | | | | |
| If "other", please specify: | | | | | | | |
| | | | | | | | |